

Product catalog • 2016-2017

Automatic Rebar Tying Machine

ZheJiang **BENTUO**



Ben  **tool**
Professional power tools



Wuyi Bentuo industrial and trade co.ltd. was founded in 2002, is one of a top professional power tools manufacturer which covers an area of more than 40,000square meters. With more than 14 years R&D and manufacturing experience,we has built the complete production lines. BENTOOOL has 150 employee, 20 of them are advanced R&D and QC engineer, and 9 workshops and 5 product lines. All of our products developed and produced by ourselves. we strictly control every production link and supplied high quality with affordable price to all users.

BENTOOOL product includes Cut-off Machine, Miter Saw and self-developed Automatic Rebar Tying Machine. Now, high-tech automatic Rebar Tying Machine has been revolutionizing the rebar tying work all around the world. Tools make our life become easier.

BENTOOOL regards ” reasonable prices, efficient production time and good after-service” as tenet.,sincerely welcome general customers come to business visit and cooperation



Automatic Rebar Tying Machine

14.4V
4.4AH

Release lever and Release stopper

Pressing the Release lever down, the wire coil setting become much easier

Torque and wrap dial

This high-tech design, allow you set wrap from 2 to 4 and adjust torque from 1 to 5

Curl Guide

When the Curl Guide is opened, it will not operate.

Handle Grip

Ergonomically designed, you could use the machine more comfortable.

Trigger Lock

The Trigger can be locked preventing the tool from operating for safety.

Li-ion Battery

Lithium-Ion battery is free from Memory Effect so you can charge the battery whenever convenient. 90 minutes charger time and big battery capacity make you work more efficient.



Power Tools Professional



6-28mm

3300knots

Ties per charge



Φ6-28mm



2-3 wraps
0.8mm wire



inner 20mm
outer 80mm

Features:

- 1.Reduces tying time
- 2.LI-ION higher capacity battery
- 3.Brushless motor
- 4.One and half hour fast charging

UL CE RoHS

MODEL NO.: **BT-28A**

	BT-28A
Ties per charger	3300knots
battery capacity	4400mAh
Tying rebar size	6-28mm
Tying length/knot	43-58mm
Diameter of wire	0.8mm
Length of wire coil	100m
Voltage	14.4V
Tying speed/knot	0.8s
Charge time	90minutes
wraps per knot	2-3wraps



14.4V
4.4AH

6-45mm

2700knots

Ties per charge



Φ6-45mm



2-3 wraps
0.8mm wire



inner 20mm
outer 80mm



Features:

- 1.Reduces tying time
- 2.LI-ION higher capacity battery
- 3.Brushless motor
- 4.One and half hour fast charging

UL CE RoHS

MODEL NO.: **BT-45A**

	BT-45A
Ties per charger	2700knots
battery capacity	4400mAh
Tying rebar size	6-45mm
Tying length/knot	60-82mm
Diameter of wire	0.8mm
Length of wire coil	100m
Voltage	14.4V
Tying speed/knot	0.8s
Charge time	90minutes
wraps per knot	2-3wraps



Power Tools

Professional

14.4V
4.4AH

6-58mm

2500knots

Ties per charge



Φ6-58mm



3-4 wraps
0.8mm wire



inner 20mm
outer 80mm



Features:

- 1.Reduces tying time
- 2.LI-ION higher capacity battery
- 3.Brushless motor
- 4.One and half hour fast charging

UL CE RoHS

MODEL NO.: **BT-58A**

	BT-58A
Ties per charger	2500knots
battery capacity	4400mAh
Tying rebar size	6-58mm
Tying length/knot	103-128mm
Diameter of wire	0.8mm
Length of wire coil	100m
Voltage	14.4V
Tying speed/knot	0.8s
Charge time	90minutes
wraps per knot	3-4wraps



12.8V
2.2AH



8-34mm

1500knots

Ties per charge



Φ8-34mm



2 wraps
0.8mm wire



inner 20mm
outer 65mm

Features:

- 1.Reduces tying machine
- 2.One and half hour fast charging
- 3.Light weight & compact body
- 4.Modular components, easier maintenance

UL **CE** **RoHS**

MODEL NO.: **BT-590**



	BT-590
Ties per charger	1500knots
battery capacity	2200mAh
Tying rebar size	8-34mm
Tying length/knot	300-500mm
Diameter of wire	0.8mm
Length of wire coil	110m
Voltage	12.8V
Tying speed/knot	0.8s
Charge time	90minutes
wraps per knot	2wraps



Power Tools

Professional

12.8V
4.4AH



8-34mm

3000knots
Ties per charge



Φ8-34mm



2 wraps
0.8mm wire



inner 20mm
outer 65mm

Features:


- 1.Reduces tying machine
- 2.One and half hour fast charging
- 3.Light weight & compact body
- 4.Modular components, easier maintenance

UL CE RoHS

MODEL NO.: **BT-890**



	BT-890
Ties per charger	3000knots
battery capacity	4400mAh
Tying rebar size	8-34mm
Tying length/knot	300-500mm
Diameter of wire	0.8mm
Length of wire coil	110m
Voltage	12.8V
Tying speed/knot	0.8s
Charge time	90minutes
wraps per knot	2wraps



please read the instruction manual carefully before using, prevent any accident happened!

Ben**tool**

WUYI BENTUO INDUSTRIAL AND TRADE CO.,LTD.

Add:BAIYANG INDUSTRIAL ZONE, WUYI, ZHEJIANG

Tel:0579-87951195 87951185 87951176

Fax:0579-87951196

<http://www.rebar-tier.com>

E-mail:sales@bentuotools.com